
 The logo for the SEQUOIA project. It features three overlapping circles: a small dark red one on the left, a medium brown one in the middle, and a large light grey one on the right. Below the circles, the word "SEQUOIA" is written in a sans-serif font. The "S" and "E" are dark red, while the "Q", "U", "O", "I", and "A" are light grey.	<p>SEQUOIA PROJECT <i>"Socio-Economic Impact Assessment for Research Projects"</i></p> <p>Contract n° 258346</p>
--	--

WP6: Final Conference and White Paper

Deliverable 6.2: Final SEQUOIA Conference Proceedings

 The logo for the Seventh Framework Programme. It features a stylized blue number '7' composed of several parallel lines. Below the '7', the words "SEVENTH FRAMEWORK PROGRAMME" are written in a small, blue, sans-serif font.	<p>Project funded by the European Commission "Information Society and Media Directorate - General", Support Action</p>
--	--

Contract Number: 258346
Project Acronym: SEQUOIA

Deliverable N°: 6.2
Due date: 30 April 2012
Delivery Date: 10 May 2012

Author: Anne English (LSE)
Partners contributed: T6 ECO, LSE, ENG
Made available to: Public

Versioning		
Version	Date	Name, organisation
1	20 April	Anne English (LSE)
2	7 May	Anne English (LSE)
3		

Quality check:

Louise Newton-Clare, Paolo Dini (LSE)

Internal Reviewers:

Martino Maggio (ENG)

Antonella Passani (T6 ECO)

Table of Contents

Executive Summary 4

SEQUOIA Best Practices: Presentations by Assessed Projects..... 11

 How-To Guide 11

 Best Practices Video..... 13

 Top five projects 14

 Round Table 34

List of Participants..... 35

Some photos of the conference:..... 36

EXECUTIVE SUMMARY

This deliverable serves to report on the Final SEQUOIA conference held at the Commission premises in Brussels on March 13th 2012.

The purpose of the final conference was to disseminate the project results and bring together as far as possible European research networks, ongoing projects and their clusters as well as representatives of projects beneficiaries and users. The conference was a good occasion for the SaaS/IoS projects present to disseminate their own project outputs and network with some industrial players. And it was an opportunity for participants to learn more about the challenges, practices, learnings and success stories in socio-economic impact assessment of research projects.

The event was also an opportunity to carry out a final transfer of the SEQUOIA methodology and showcase the technological outputs of five selected projects that had used the methodology. It also served as an opportunity for the dissemination, to Call 5 consortia and other interested parties, of a set of best practices to help ensure that they achieve meaningful and impactful project goals and that they could, at every juncture during the project life-cycle, report and validate return on research investment.

As well as representatives from the top 5 projects that displayed best practice in impact assessment, the project endeavoured to have experts in socio-economic impact assessment as speakers for the conference as well as a senior representative from the Commission to open proceedings.

The Agenda

Moderator: Antonella Passani (T6 Eco)

09:00 Registration and welcome coffee

09:30 Welcome by Deputy Head of Unit, David Callahan

09:40 Introduction by Paolo Dini, LSE, SEQUOIA project coordinator

First session Socio-Economic Impact Assessment: Methodologies and Open Issues

10:00 Erik Bohlin

Measuring Direct and Indirect Impacts of ICT investments: Applying Several Methodologies for the ICT, Media and IPTV Sectors

Q&A

10:40 Jordi Molas-Gallart

Impact Blues: Symptoms and Treatment

Q&A

11:20 Coffee break

Second Session SEQUOIA Best Practices: Presentation by Projects Assessed

Moderated by Antonella Passani (T6 ECO)

11:40 S-CUBE – Klaus Pohl

12:00 MOSAIC – Beniamino Di Martino

12:20 I2WEB – John O’Flaherty

12:40 Lunch

14:00 CumuloNimbo – Ricardo Jimenez-Peris

14:20 SocioS – Konstantinos Tserpes

14:40 Panel discussion with Q&A about the projects (including the keynote speakers)

15:20 Coffee break

Third Session Parallel Round Tables

Chairperson: Antonella Passani (T6 ECO)

15:40 SEQUOIA’s Methodology Transfer and Support for Personalisation

16:20 Reporting back to the plenary

16:40 Conclusions and close

Welcome


The conference was opened by Deputy Head of Unit “Software & Service Architectures and Infrastructures” David Callahan who represented Head of Unit Rainer Zimmerman. Mr Callahan delivered a pre-keynote talk on whether EC research projects are meeting their respective objectives and acknowledged the difficulty of determining this as well as the difficulty of measuring the extent to which impact might be achieved. He set the scene for the ensuing presentations by stating that for some projects impact achievement seemed almost an afterthought, adding that many proposals lacked a clear methodology for measuring impact. Mr Callahan said he hoped that a methodology such as the SEQUOIA one would help eliminate exaggerated expectations and lack of action from both sides: the EC and the projects.


Introduction

Mr Callahan was followed by Dr Paolo Dini, Senior Fellow at the London School of Economics and Political Science and Coordinator of the SEQUOIA project.


Dr Dini addressed the trend towards encouraging impact assessment and commercialisation of research outputs in EU research projects.

The following are the slides used by Dr Dini in his presentation.





Dr Dini began by stating that Government intervention in the free market has generally been considered undesirable. This led to an emphasis on funding research “far from the market” in the early framework programmes. The problem, however, is that it then becomes more difficult to maximise the socio-economic impact of research projects. He added that there is now a growing trend towards encouraging impact assessment and commercialisation of research outputs.



In this diagram Dr Dini showed the forbidden route of government intervention in the market. The diagram also shows the route that EC funding tends to follow: funded research facilitates the formation of collaboration networks between companies and academics, some of whom then develop business models around research outputs that contribute to capital accumulation and market activity.

This framework, which already exists as an empirical fact, can be usefully rationalised and understood from the point of view of economic anthropology, where the economy is composed of

four domains of value: Market, capital and accumulation, base or commons, and social relationships.

Interestingly, according to Dini, this view includes a scale effect, where the commons and social relationships tend to operate at the scale of community, whereas the market is globalising and the accumulation domain straddles the two.

Whereas neoclassical economics sees the market and accumulation as providing support for the social sphere, which is external to the economic sphere, the endogenous view of economic anthropology makes it easier to understand how investment in a commons can strengthen community, and lead to market activity through the embeddedness of business activity in social structure.

He explains however, that this is in fact what is already happening in the ICT domain through Web 2.0 phenomena. And states that SEQUOIA has developed a methodology that goes in the direction of allowing the assessment of the potential effectiveness of the arrows that link the commons to the accumulation and market domains through social relationships. For this reason, the SEQUOIA methodology places equal emphasis on quantifiable and non-quantifiable impacts.

Socio Economic Impact Assessment: Methodologies and Open Issue

The next section of the conference was dedicated to Socio Economic Impact Assessment: Methodologies and Open Issues. Speakers were Professor Erik Bohlin, Head and Professor in Technology Assessment at the Division of Technology & Society, Department of Technology Management & Economics at Chalmers University of Technology, Göteborg, Sweden and Professor Jordi Molas-Gallart, Research Professor at INGENIO, a research institute of the Spanish Council for Scientific Research (CSIC) and the Polytechnic University of Valencia.

Prof Erik Bohlin's talk was entitled: **Measuring Direct and Indirect Impacts of ICT investments: Applying Several Methodologies for the ICT, Media and IPTV Sectors.**

The following is an abstract of Prof Bohlin's talk:

To enable the analysis on what is going on in the ICT sectors, the Input-Output (IO) methodology is employed. Following the framework of ICT methodology, the matrix depicts the transaction flow across sectors, where each sector produces a certain output and, at the same time, consumes the inputs from another sectors. The methodology is capable of capturing both direct and indirect impacts of the sectors due to the inter-relatedness between the industries (Yan, 1968; the United Nations, 1999; Miller & Blair, 2009). Mahajan (2007) argues that the strength of IO method is its ability of reconcile the three different approaches to measuring the GDP (income, value added and expenditure approach) which is suitable when making the judgement on public policy issues. This presentation will give the example on how the IO method can be used at three level of investigation: sectoral (ICT), sub-sector (media and content) and product (IPTV). The sample in the analysis consists of 11 countries in the European region that are seen as having similar characteristics to those of the "information economies" (Eichengreen, 2008), while the time series of the investigation covers the period 1995-2005.

The first study on ICT sector concludes that: (1) growth in the output of the ICT sectors declined significantly in the period 2000-2005 compared with 1995-2000; (2) the decomposition analysis found that the decline in the output of the ICT sectors can be attributed to loss of export advantage and technical change gain in the sectors; and (3) the decline in technical change effect is explained by a lack of connection between ICT sectors and the rest of the economy.

The study on sub-sector (media and content) summarizes that during the second half of the observation (2000-2005), the change in the media and content sectors was mainly driven by the technological change effect, especially in Germany, France, Italy, the Netherlands, and Spain. The most interesting result during this period is the evidence that the export effect decreased, with the media and content sectors in Germany showing substantial negative impacts. This means that, in general, the comparative advantage of the German media and content products exported to the rest of the world has been reduced.

The analysis on a particular product (IPTV deployment) was conducted by looking at two main sources of impact: the production phase, when the deployment is implemented by installing fiber and network to the households, and the diffusion phase, where the consumption of IPTV services increases after the completion of the investment project. Among fourteen European countries investigated, the study reveals that Sweden is the country which enjoys the highest level of impact due to the construction activities, while Austria gets the larger portion of the multiplier from the diffusion side.



Prof Bohlin is Head of the Division of Technology & Society, Department of Technology Management & Economics at Chalmers University of Technology, Gothenburg. He has published in a number of areas relating to the information society - policy, strategy and management. He is Chief Editor of Telecommunications Policy; Chair of the International Telecommunications Society; Member of the Scientific Advisory Boards of Communications and Strategies, the International Journal of Management and Network Economics, the Nordic and Baltic Journal of Information and Communication Technologies, and Info - the Journal of Policy, Regulation and Strategy for Telecommunications, Information and Media; Member of the Scientific Committee of the Florence School of Regulation (Communications & Media); Research Fellow of the Institute of Management, Innovation and Technology (IMIT) and Member of the Royal Academy of Engineering Sciences. Erik Bohlin obtained his graduate degree in Business Administration and Economics at the Stockholm School of Economics (1987) and his Ph.D. at Chalmers University of Technology (1995).

Prof Molas-Gallart's talk was entitled: **Impact Blues: Symptoms and Treatment.**

The following is an abstract of Prof Molas-Gallart's talk:

Over the last three decades there has been a substantial growth in the efforts to assess and measure the impact of research activities. Impact assessment is becoming a common element in the evaluation practices of many research funding organizations. Research policy is not alone in this trend: impact assessment is now a crucial building block of policy evaluation across countries, organizations and fields. One could assume that such popularity builds upon and contributes to the

construction of a robust and accepted battery of assessment methodologies. This assumption would be wrong. A section of the professional evaluation community and many among the evaluation subjects remain vocal about the shortcomings of impact assessment methodologies and even about the same notion of “impact assessment”. Although hundreds of impact assessment studies have been carried out during the last two decades, funding agencies and analysts continue to search for a new approach that will deliver the promise of robust impact measures. The “blues” to which the title of the presentation refers is the result of a combination of scepticism and a degree of exhaustion. The presentation will discuss the causes of the current situation, present the debates that frame it, and will place the SEQUOIA efforts against this framework.



Prof Jordi Molas-Gallart is an economist with more than twenty years' experience as an analyst of science, technology and innovation policies. He is a Research Professor at INGENIO, a research institute of the Spanish Council for Scientific Research (CSIC) and the Polytechnic University of Valencia. Before joining INGENIO, Jordi worked for 13 years at SPRU, University of Sussex, as Research Fellow and Senior Research Fellow. His research interests include science and technology policy evaluation and impact assessment, and university-industry relations. He has led and contributed to many evaluation studies for the UK Economic and Social Research Council, the European Commission, INSERM, CSIC, Queen Mary College, the Russell Group of Universities, and several Spanish regional governments among others, focusing mainly on the analysis of the non-academic impact of research programmes. He has been a member of the European Commission “Lisbon Expert Group” for the follow-up of the research aspects of the revised Lisbon strategy. He is the author of one book, and of more than 70 articles, book chapters, monographs and reports.

SEQUOIA BEST PRACTICES: PRESENTATIONS BY ASSESSED PROJECTS

The final period of SEQUOIA was focused on fine-tuning the self-assessment methodology and the assessment of the different Call 1 and Call 5 projects that participated in several collaboration activities. One-to-one contact with each project was very important and helped create a good working relationship with and trust in the SEQUOIA team. Particular attention was paid to the organization of the online sessions and interviews with the Call 1 and Call 5 project members in order to satisfy their needs in terms of time and effort spent on interaction with SEQUOIA. This close collaboration and good working relationship culminated in the top 5 projects in terms of impact assessment being asked to present their projects at the final conference.


This body of work was led by Dr Antonella Passani, Socio Economic Research Coordinator at T6 Ecosystems S.r.l., Dr. Passani also moderated the conference.

SEQUOIA disseminated and transferred the methodology not only through the official deliverables, during the Collaboration meeting and the FISE conference prior to the conference but also in an abridged brochure-like version - the “How-To Guide Highlights” at the conference (see D4.2.2 and D5.1).



How-To Guide

One of the most important SEQUOIA deliverables is the D3.3b “SEQUOIA Self-Assessment How-To Guide” the aim of which was to provide SaaS and IoS research projects with the necessary information to understand and apply the SEQUOIA methodology for socio-economic impact self-assessment. D3.3b is a step-by-step guide with practical examples and it also includes a complete questionnaire to use in the assessment process. The “How-To Guide Highlights” however is a more accessible version offering an overview of the methodology and how to use it with concrete examples. It was made available in soft and hard copy at the conference and can be downloaded from the project website at: <http://www.sequoiaproject.eu/>



How-To Guide Highlights

This booklet gives a first general overview of the SEQUOIA methodology allowing the reader to understand whether the methodology fits his needs: the How-To Guide does not substitute D3.3b but it is an introduction to the more complete contents of the deliverable.

Best Practices Video

In order to showcase the projects that scored highest in the SEQUOIA assessment process, the “best practices”¹, and highlight the results of the SEQUOIA project, the SEQUOIA team created a video for presentation at the final conference.



SEQUOIA Best Practices Video

The video, developed in the Prezi online tool², offers an overview of the SEQUOIA project and its main aims. It goes on to describe briefly the projects that displayed best practice explaining why they scored higher in the SEQUOIA assessment project. The relevant project teams were involved in the development of the project to validate the content and ensure that their projects were accurately portrayed. The projects involved were: S-CUBE, MOSAIC, I2WEB, CumuloNimbo and SocioS.

The video is available on the SEQUOIA website <http://www.sequoiaproject.eu/>

¹ See “Deliverable D3.2 – Best Practices Report”

² <http://prezi.com/>

Top five projects


The projects that rated top five of those that employed the self-assessment methodology from the Call 1 and 5 projects are as follows (in no particular order):






1. S-CUBE
2. MOSAIC
3. I2WEB
4. CumuloNimbo
5. SocioS

From the presentations of each of the projects it was clear that they welcomed the SEQUOIA self-assessment methodology, whilst also acknowledging that it was a little more time consuming than they expected. Each of the projects however stressed the good collaboration process that they enjoyed with the SEQUOIA team.

The following are the presentations presented by each of these projects:

1. **S-CUBE** – presented by Andreas Metzger





Major Outcomes Research Outcomes

Fundamental Monitoring and Adaptation Techniques

- Cross-Layer Adaptation (avoiding conflicts)
- Human-in-the loop & Context-aware Adaptation
- Quality Prediction for Proactive Adaptation

S-Cube Service Quality Models

- Reference Model (QRM)
<http://www.s-cube-network.eu/km/qrm>
- Meta Model (QMM)

Δ. Medger – SEQUOIA Event – Bruxelles – March 2012 © S-Cube

Major Outcomes Research Outcomes

S-Cube Books

Δ. Medger – SEQUOIA Event – Bruxelles – March 2012 © S-Cube

Major Outcomes Integration of Communities

Dedicated Events

- Conferences, including
 - ServiceWave
 - IC8OC
 - BP8C
- Workshops, including
 - PES@IC8E 2009-2012
 - S-Cube@IC8E 2012

Δ. Medger – SEQUOIA Event – Bruxelles – March 2012 © S-Cube

Major Outcomes Integration of Communities

S-Cube Knowledge Model
<http://www.s-cube-network.eu/km>

Education

- S-Cube Virtual Campus
<http://www.s-cube-network.eu/vc>
- Int'l Masters in Service Engineering
<http://www.erasmusmundus-imse.eu>
- 8OC Summer Schools
<http://www.cummerso.eu/>

Δ. Medger – SEQUOIA Event – Bruxelles – March 2012 © S-Cube

Major Outcomes Socio-economic Impact

SEQUOIA was instrumental in supporting us in...

- Reflecting on **stakeholders** and **relevance of S-Cube outcomes**
 - Researchers and research communities: open, multi-disciplinary research topics to be addressed
 - Students: education material, programmes & events
 - Software & service engineers: fundamental research results
 - Industry: "shopping list" of techniques that may be transferred
- Considering **business impact**
 - Difficult: S-Cube as an NoE has no business exploitation plan
 - But: S-Cube ensured sustainability: KM, VC, research networks
- Understanding **social impact**
 - Well educated researchers and students
 - Initial investigations on infrastr. resource efficiency/GreenIT



Δ. Medger – SEQUOIA Event – Bruxelles – March 2012 © S-Cube

About S-Cube


Major Outcomes

Beyond S-Cube

Δ. Medger – SEQUOIA Event – Bruxelles – March 2012 © S-Cube



2. MOSAIC represented by Beniamino Di Martino



mOSAIC: Open-Source API and Platform for Multiple Clouds

Internet of Services Collaboration Meeting – 28-29 Sept. 2011
Cloud Experts' Group Session

Beniamino Di Martino

Project Coordinator – Second University of Naples

Dana Petcu

Scientific Coordinator – IeAT

Università e IuBhub

- ## mOSAIC main facts

- **Project acronym:** mOSAIC
- **Project full title:** Open-Source API and Platform for Multiple Clouds
- **Grant agreement no:** 256910
- **Funding Scheme:** STREP
- **Call:** FP7-ICT-2009-5 **Obj:** ICT-2009.1.2
- **Cost:** 3,705 Meur (EC financing: 2,85 M)
- **Duration:** 30 months
- **Start:** Sept 1st 2010. **End:** Feb 28th 2013
- **Web site:** <http://www.mosaic-cloud.eu>

mOSAIC Partners

Second University of Naples – It (Prj Coordinator)

Institute IeAT – Ro

European Space Agency - Fr

AITIA - Hu

TecNALIA - Sp

Terradue - It

XLAB - Slo

University of Ljubljana - Slo

Brno University of Technology - Ck




The Cloud Computing Challenges

In literature main challenges are identified:

- data and application interoperability
- data and application portability
- governance and management,
- metering and monitoring,
- security.


mOSAIC will fully address the first two of these challenges, and partially address the next two ones.



Portability and Interoperability

Avoiding “Cloud Vendors Lock-in” and “Walled Gardens”

Allow Interoperability among Clouds and Cloud Providers at Service and Application level



How we develop a Cloud-based application?

High level

Google App Engine
Microsoft Azure Service Platform [or wait for Orleans]
Manjrasoft Aneka
Amazon Web Services

Low level

APIs offered by IaaS Cloud service providers to create and manage cloud resources, including compute, storage, and networking components
e.g. Amazon EC2, Eucalyptus, Oracle (Sun) Cloud, ElasticHosts, FlexiScale, GoGrid, Enomaly, OpenNebula, SliceHost, Nimbus, AppNexus, F5, Tashi, CohesiveFT, Mosso, Joyent
So many! So different! This are the right APIs for the Cloud appls?



[Action Center]

Towards the usage of multiple Clouds

Portability

At high level? *NO!*

At low level? Ongoing task!

OCCI – January 2010

UniCluster, OpenStack, Jeloud, DeltaCloud ... from Spring 2010

Approaches:

At IaaS level:


Migration of VMs between Cloud providers (e.g. Reservoir)
Agreements between Cloud providers
Communications between Clouds

At PaaS level:

Use services from different Clouds



Federation of Clouds vs Using multiple Clouds



mOSAIC Approach

The mOSAIC project aims to develop an open-source platform that enables applications to negotiate Cloud services as requested by their users.

Using the Cloud ontology, applications will be able to specify their requirements and communicate them to the platform via the innovative API.

The platform will implement a multi-agent brokering mechanism that will search for services matching the applications' request, and possibly compose the requested service if no direct hit is found.



mOSAIC Key features and technologies

Vendor agnostic API
Open source PaaS
Cloud resources and services brokering
Cloud Agency
SLA negotiations and monitoring
Cloud Ontology
Semantic Engine

Component-based applications
Multiple Clouds
Long time running applications
Event driven, asynchronous



mOSAIC goals

An API

Cloud-based language- and platform-independent API
Extends the existing language- or platform-dependent API capabilities with composite features based on *patterns*

A framework

Semantic engine
Cloud ontology & Semantic representation of Cloud resources
Applications's needs in terms of SLAs and QoS requirements
Cloud agency

An open-source platform

a proof-of-the-concept prototype ready to be tested, exploited or extended by its users
include instances of the APIs for two programming languages and application tools

Proofs of validity through the use cases and applications



mOSAIC goals

API at high level independent from the provider
With implementation in high level languages

Common representations of resources

Cloud taxonomy and ontology

Powerful platform allowing dynamicity and

Identification of appl's requirements in terms of resources

(Re)Negotiation of the offers from different providers

Monitoring and benchmarking

Connectors to different services based on a common understanding




mOSAIC milestones


September 2011: 1st implementation of API
Cloud ontology
September 2012: Platform available
March 2013: Full software package




mOSAIC: A Global View




mOSAIC: A Global View




mOSAIC: A Global View



mOSAIC: A Global View



Platform Components



Current ongoing relevant tasks

- **T1.2 → Cloud Ontology**
- **T1.3 → API design**
 - APIs description
- **T2.2 → API implementation**
- **T1.4 → Cloud agency**
 - Agent protocols
 - Cloud request
- **T1.5 → SLA agreement and QoS**
 - Resource/services
 - Cloud Provider
 - Performance figures (QoS parameters)
- **T2.3 → Semantic engine**
 - Semantic query
 - Service discovery
 - Matchmaking
- **T2.5 → Provider Agent**
 - Resources
 - Services
 - Offer
- **T2.6 → Negotiator module**
- **T3.1 → Cloud usage patterns**
 - Patterns description
- **T3.2 → Platform Use cases**

Progress so far

Finalized deliverables (at Y1)

- API design
- API first prototype implementation - in Java
- Cloud Ontology
- Cloud Usage patterns

Work in progress

- Semantic Engine|
- Cloud Agency
- SLA management and monitoring
- mOSAIC Applications development/porting

mOSAIC API

Concepts:

in public D1.3/Sept 2011 & papers

Implementations:

In Java, available at:

<http://www.mosaic-cloud.eu> -> <For Developers> box

<https://bitbucket.org/mosaic/>

Guide in `mosaic-api / mosaic-mvn / doc`


In Python, in February 2012



x 7.50 in

mOSAIC API Architecture

mOSAIC API Layers



Lowest Layer: Native resource protocol (Web service, RPC, etc.), or a **native resource API** provided as a library by the vendor for a certain programming language. No uniformity.


Driver API: Wraps the native API, providing the first level of uniformity: all resources of the same type are exported with the same interface. Thus exchanging, for example, an Amazon S3 with a Riak key-value store is just a matter of configuration.

Connector API: depending on the programming language, provides abstractions for the cloud resources, suitable for the programming paradigm. This is where we provide the second kind of uniformity for the programming paradigms, as all the implementations of the connector API in object oriented programming languages will have similar class hierarchies, method signatures, or patterns.

Cloudlet API: Even though the developer already can access cloud resources, he or she must restrict himself or herself to a cloud compliant programming methodology, which we provide (integrated with all the layers already mentioned) that we call Cloudlet, as similar with the existing Java Servlet technology that provides standard programming components in J2EE environments.



mOSAIC API's Layers




mOSAIC Cloud Ontology


- Provides a unified description of
 - Cloud components
 - Interfaces
 - API
 - Requirements
 - SLA
 - ...
- Enables
 - Reasoning
 - Semantics-based queries executions
 - Brokering
 - Discovery
 - Matchmaking
 - Cloud Services Composition







mOSAIC Ontology: Top Level



mOSAIC Ontology: Top Level and Standards/Proposals




SAC



mOSAIC Cloud Agency

- The mOSAIC Cloud agency will be conceived according a service-oriented architecture, where agents will implement stateful, eventually mobile, services
- Negotiation, monitoring, dynamic benchmarking and reconfiguration of cloud resources are some mandatory services to be implemented

Why agents?



SLA and QoS monitoring and management

- QoS parameters
- Negotiation
- SLA Agreement
- Monitoring
- Re-negotiation

The diagram shows a central cloud icon connected to four boxes: T1.2 Ontology (red), T1.4 Cloud Agency (blue), T2.5 Provider (blue), and T2.6 Negotiator (blue). An inset image shows a hand holding a pen over a document with a table of parameters.

More details in papers:

API layers: *Towards a cross-platform Cloud API*, CLOSER 2011, SciTePress.

API interop: *Building an Interoperability API for Sky Computing*, InterCloud/HPCS, IEEE CS

Cloud ontology: *An Ontology for the Cloud in mOSAIC Cloud*. In *Cloud computing: methodology, system, and applications*. CRC, Taylor & Francis group, 2011

An Analysis of mOSAIC ontology for Cloud Resources annotation, Proceedings of the Federated Conference on Computer Science and Information Systems pp. 983–990, 2011.

Platform services: *Architecting a Sky Computing Platform*, ServiceWave 2010, LNCS 6569

Cloud agency: *Agent based Cloud provisioning and management*, CLOSER 2011, SciTePress.

SLA manag: *A Cloud Agency for SLA Negotiation and Management*, EuroPar '10, LNCS 6586

Use case: *From Grid To Sky Computing. Case Study for Earth Observation*, 10th CGW 2010.

Patterns: *Identifying Cloud Computing Usage Patterns*, IEEE Cluster 2010.

Test appls: *Building a Mosaic of Clouds*, EuroPar 2010, Springer, LNCS 6586

mOSAIC Use cases

Existing use cases

- OCCE use cases with IaaS API requirements
- Cloud Computing Use Case Discussion Group
- Provider's use cases
- Research use case

mOSAIC's use cases

Type	Title
Data intensive	Storage and data distribution in Earth Observation
	Earth Observation mission reprocessing
	Routine production of Earth Observation products
	Fast data access for crisis situations
Compute	Distributed intelligent maintenance
	Cloud-distributed parameter sweep

3. I2WEB presented by Carlos Velasco

Inclusive Future Internet Web Services

Dr. Carlos A Velasco, Fraunhofer FIT
I2Web project - <http://i2web.eu/>

Agenda

- ▶ Introduction
- ▶ eAccessibility and the I2Web project
- ▶ Main socio-economic goals of I2Web
- ▶ I2Web potential economic impacts
- ▶ I2Web potential social impacts
- ▶ Immediate implications for Web applications

2012-03-13 SEQUOIA Final Conference 2

Some facts ...



- ▶ Society is ageing
 - Older people + people with disabilities will be 30% + 10% of population by 2025
- ▶ Internet Services are getting more interactive, participative and mainstream
 - Next Generation – mobile and multiple access devices
 - Media convergence, user-generated content, social networks
 - Further isolating these and other excluded groups
- ▶ Research and tools are required
 - To develop accessible Web Services and applications
 - To overcome this emerging & widening Digital Divide

2012-03-13

SEQUOIA Final Conference

3

I2Web Vision



- ▶ Universal eAccessibility: Web Applications that are
 - fully inclusive & accessible to everyone, everywhere, every time on every device on which they wish to use them
- ▶ User-centric service creation
 - User Centered Design (UCD) and eAccessibility must be seamlessly integrated into all design processes

2012-03-13

SEQUOIA Final Conference

4

eAccessibility




- ▶ eAccessibility depends on 4 interdependent components
 - Content, Services and Applications
 - Testing Tools
 - Authoring Tools
 - Assistive Technologies (AT)
- ▶ To meet EU + National policies and regulations

2012-03-13

SEQUOIA Final Conference

5

I2Web approach and actors




2012-03-13

SEQUOIA Final Conference

6

I2Web Architecture



2012-03-13

SEQUOIA Final Conference

7

I2Web Consortium



1	Fraunhofer Society / Fraunhofer FIT	DE	Academia & Research
2	The National Microelectronics Applications Centre Ltd	IE	Commercial
3	University of York	UK	Academia & Research
4	Hewlett-Packard	IT	Commercial
5	Public-i Group Ltd	UK	Commercial
6	Polymedia SpA (KIT)	IT	Commercial
8	University of Ljubljana	SI	Academia & Research
9	National Council for the Blind of Ireland	IE	User Groups
10	Foundation for Assistive Technology	UK	User Groups



2012-03-13

SEQUOIA Final Conference

I2Web outputs



- ▶ Tools
 - Web Compliance tools incorporated into existing development environments and workflows for developers
 - Advanced verification tools for accessibility experts
 - User, device and application models
- ▶ Test, validate and demonstrate the developed frameworks & tools:
 - professionals
 - disabled & older people who contribute content to the web
 - non-disabled, non-professional people who contribute content to the web
- ▶ Ensure impact in standardisation/recommendation bodies

2012-03-13

SEQUOIA Final Conference

9

SEQUOIA socio-economic impact assessment of I2Web



- ▶ We found the initial SEQUOIA Socio Economic assessment & interview very helpful to focus our thinking
 - To clearly consider both our social & economic impact, which is very important in I2Web
 - This helped us develop our own Initial Exploitation Plan
- ▶ We plan to use the SEQUOIA “Self-Assessment How-To Guide” to repeat the exercise
 - To evolve our Exploitation Plan to its final version at the end of the project

2012-03-13

SEQUOIA Final Conference

10

Initial SEQUOIA assessment of the technical aspects of I2Web found




- ▶ ... the most technological innovative aspects of the I2Web project are related to
 - the user, device and application models & Web Compliance tools
 - that we are developing for fully interactive multimedia Future Internet Services

2012-03-13

SEQUOIA Final Conference

11

Click to add title



2012-03-13

SEQUOIA Final Conference

12

Main socio-economic goals



- ▶ All citizens using Future Internet Services that are fully accessible to everyone, everywhere, every time and on every device on which they wish to use them
- ▶ Sustainable deployment of the I2Web Services, components & Compliance Tools by the project Partners & others, to ensure such eAccessibility across Europe
- ▶ Wide-spread adoption & sustainable evolution of the I2Web common Application, Device & User models, APIs, open infrastructure & methodology

2012-03-13

SEQUOIA Final Conference

13

I2Web economic impacts



- ▶ eAccessible validation prototype systems will be developed
 - in eBanking, eGovernment, Media Services
- ▶ Integrating accessibility into mainstream Web 2.0 development
 - developers can efficiently create interactive content & systems that work effectively for more people in more situations.
- ▶ Costs for accessibility can be justified as those for usability
 - Designing for accessibility will yield greater usability for all, not just for people with disabilities.
 - Est. 10% reduction thru compliance with regulatory & policies constraints.
- ▶ Project results will be input to relevant standardization bodies
- ▶ Initial Exploitation Plan
 - Partners' exploitation is estimated to result in up to 100 jobs over 3 years

2012-03-13

SEQUOIA Final Conference

14

Users who will directly benefit from the I2Web project




- ▶ **End Users**
 - Who participate in the co-design, co-creation & content of web 2.0 services
 - Older & disabled users, all citizens, all businesses
- ▶ **Website Commissioners**
 - who commission, own and manage websites & Web 2.0 applications
 - Need to know & monitor that they are accessible.
- ▶ **Web Developers**
 - Individuals, companies/SMEs who design & develop websites & Web 2.0 apps
 - need to understand & have tools to help them code for accessibility
- ▶ **Accessibility Experts**
 - who may well advise the previous two groups,
 - Need tools to test websites, applications & services for accessibility

2012-03-13

SEQUOIA Final Conference

15

I2Web target markets analysis



Member States positioned by

- ▶ **Demand**
 - based on status & policy scores from 2007 MeAC report – Measuring Progress of eAccessibility in Europe
- ▶ **Capacity**
 - based on GDP per capita.
- ▶ **Cost-Benefit Analysis**
 - eAccessibility Impacts Study are developing an eAccessibility Business Case Excel Tool

SEQUOIA Final Conference

Customers for I2Web services



- ▶ **Target Customers**
 - Public & private organisations who commission & provide web services
 - National Agencies, NGOs & European Commission
 - Software & Web Service implementation companies (Large & SME)

2012-03-13

SEQUOIA Final Conference

17

eAccessibility cost/benefits – eAccessibility impacts study



- ▶ **Costs – extra costs for**
 - Redesign
 - Design from scratch
 - Technical maintenance
 - Governance
- ▶ **Benefits**
 - Social responsibility & image
 - Compliance with legislation
 - External audience reach & sales
 - Productivity (internal IT application)
 - Efficiency gains from servicing/interacting online with customers/suppliers
 - More efficient recruitment process
 - Technical improvements (reduced site development & maintenance time; reduced server load)

2012-03-13

SEQUOIA Final Conference

18

I2Web social impacts



- ▶ **Significant & direct contribution to the eAccessibility of Future Internet Services for all users.**
 - Including older & disabled users, who could otherwise be further marginalised by the increasing importance of such service in people's lives
 - Empowering more users to gain employment using such services
- ▶ **Directly promoting policies such as**
 - 2020 Digital Agenda for Europe (Pillar 6) – eAccessibility
 - European Social Agenda
 - UN Convention on the Rights of Persons with Disabilities
- ▶ **Improving all Users experience of Web Applications**

2012-03-13

SEQUOIA Final Conference

19

Learning about Users & User Interaction



- ▶ **Web App developers must go to the users & see**
 - How users are using their Web Apps
 - What they actually want & need
- ▶ **When I2Web did (63 users with various disabilities) – we found**
 - Sophisticated **Strategies** that people with disabilities & older adults use in interactive applications on various devices.
 - We found over 100 distinct strategies being applied to use Web Apps on different platforms & applications.
- ▶ **Overall interactions of users with application Web Apps are much more complex, dynamic & adaptive than current standards assume.**

2012-03-13

SEQUOIA Final Conference

21

Overall interactions of users with Web Applications

- Navigation:**
 - User applies a strategy to move from one screen/state in an application to another
- Discovery:**
 - User applies a strategy to understand the structure of the screen of information presented by the web application.
- Exploration:**
 - User applies a strategy to understand the information content of the screen presented by the web application.
- Anchoring:**
 - User applies a strategy to reduce or limit the amount of information with which they are interacting.
- Help Seeking:**
 - User applies a strategy to get help in performing their task in a web application.
- Reset:**
 - User applies a strategy to abandon their current state & either restart a task from the beginning, return to a safe point where they understand what is expected of them, or abandon the task completely.
- Miscellaneous:**
 - User applies a strategy to interact with a specific component in the web application in a way that is either unexpected or non-standard, not covered by 1-6.

2012-03-13 SEQUOIA Final Conference 22

Immediate implications for Web 2.0 applications

- Most user requirements are based at the level of interaction with a specific component of a Web Application.
 - This is not enough !
- Users' Strategies describe their overall interactions with Web Applications
 - Users require that Web Apps & devices allow them to undertake different combinations of these strategies in order to achieve their goals.
- Web Apps must be designed & developed – from a more holistic perspective
 - to enhance all users' experience, rather than forcing some users into complex "coping" strategies.
 - Include smart & seamless interfacing to any Assistive Technologies that users might be using now or in the future.
 - As Design for All cannot be easily achieved in all cases

2012-03-13 SEQUOIA Final Conference 23

4. CumuloNimbo – represented by Ricardo Jimenez-Peris




SEQUOIA Final Conference
13th March 2012

FP7-257993

CumuloNimbo
Ricardo Jiménez-Peris
Technical Coordinator
Universidad Politécnica de Madrid (UPM)


2012-03-13 SEQUOIA Final Conference 22



Goals

- CumuloNimbo aims at solving the lack of scalability of transactional applications that represent a large fraction of existing applications.
- CumuloNimbo aims at conceiving, architecting and developing a transactional, coherent elastic and ultra scalable Platform as a Service.
- Goals:
 - Ultra scalable and dependable -- able to scale from a few users to many millions of users while at the same time providing continuous availability;
 - Support transparent migration of multi-tier applications (e.g. Java EE applications and relational applications) to the cloud with automatic scalability and elasticity.
 - Avoid re-programming of applications and non-transparent scalability techniques such as sharding.


2012-03-13 SEQUOIA Final Conference 23




Challenges

- Main Challenges:
 - Update ultra-scalability (millions of update per second).
 - Strong transactional consistency.
 - Non-intrusive elasticity.
 - Inexpensive high availability.
 - Low latency.
- CumuloNimbo will go beyond the State of the Art by scaling transparently transactional applications without sharding as it is current practice in Today's cloud PaaS.


2012-03-13 SEQUOIA Final Conference 24



Three Software Stacks in a Single Integrated PaaS



2012-03-13 SEQUOIA Final Conference 25



Architecture

- We exploit JBoss and Hibernate reflection to intercept:
 - Transactional processing → Becomes ultra-scalable.
 - Second level cache → Becomes distributed/elastic.
- No changes required in the application server.
- Approach applicable to any transactional application server either source code or with sufficient reflection capabilities.
- Support very large caches at both object and DB level enabling in-memory databases/application servers.

Date: Footer: 6

Main Breakthroughs: Ultra-Scalability

- Decomposition of transactional processing in different components scaled independently but in a composable manner.
 - Atomicity, consistency, isolation and durability attained separately.
 - No DB or transactional manager as a single component.
- The first bottleneck is in a component able to do millions of update transactions per second.
- Based on snapshot isolation.
 - Avoids read/write conflicts.
- Guarantees transactional coherence across application server, object cache and database.

Date: Footer: 7

Main Breakthroughs: Transparent Scalability

- No constraints on transactional processing and data.
- Fully transparent:
 - Syntactic transparency:
 - APIs do not change.
 - The application remains unchanged.
 - Semantic transparency:
 - The execution is equivalent to the one of a centralized environment (1-copy equivalence).

Date: Footer: 8

Main Breakthroughs: Fault Tolerance


- Replication is used for high availability and not for scaling.
 - Low cost data fault tolerance
 - Pushed down to the storage layer (distributed file system)
 - Outside the critical path.
 - Fault tolerance for other components with a simple approach
 - Configuration and vital data stored on a replicated data store (Zookeeper).
 - Fault tolerance of critical components:
 - Specialized replication that maximizes throughput and minimizes latency.

Date: Footer: 9

Main Breakthroughs: Elasticity


- Elasticity is controlled at each layer with customized elastic rules.
 - E.g., the object cache can provision nodes either due to lack of memory or CPU saturation.
- Elasticity is combined with dynamic load balancing to guarantee that provisioning is only triggered when needed.
- Non-intrusive reconfiguration:
 - Focusing on maintaining throughput close to the maximum one during reconfiguration.

Date: Footer: 10



Maximizing Industrial Impact

- Supporting current software stacks:
 - Java EE & relational SQL database.
- Remove obstacles to move to the cloud:
 - Syntactic and semantic transparency.
- Pave the way for the future:
 - Support for No-SQL data stores appl. and map-reduce jobs.
- Single platform for both OLTP and OLAP applications.



Date

Footer

11



Social, Scientific and Exploitation Impacts

- Mass-media:
 - Presenting the results in national newspapers.
- Scientific:
 - Focusing on top conferences/journals (quality as opposed to quantity).
 - Using workshop publications to create awareness.
- Exploitation:
 - Creation of a spin-off.



Date

Footer

12



Progress and Achievements


- Almost 1.5 years of project.
- Patent filed with core of the inventions made.
- A running fully integrated prototype available with the main components:
 - Transactional manager,
 - Application server layer,
 - Distributed object cache,
 - SQL engine layer,
 - No-SQL data store layer.
- Real joint exploitation foreseen and already investors being sought.



Date


Footer

13




Preliminary results

SPEC jEnterprise Benchmark




Cores	(80+20+10) cores (tps)	(20+20+10) cores (tps)
400	40,000	40,000
700	60,000	60,000
1000	80,000	80,000
1300	100,000	70,000
1600	120,000	70,000
1900	140,000	
2200	160,000	
2500	180,000	
2800	200,000	
3100	220,000	
3400	240,000	
3700	260,000	
4000	280,000	
4300	290,000	
4600	300,000	



Date


Footer

14



Experience/Feedback on the Self-Assessment Exercise

- The reflection caused by the self-assessment is interesting, in particular, for exploitation of results and presenting the work to potential investors.
- Quantified forecast of indicators is difficult, especially, indirect ones.
- Scientific impact can be more elaborated.
- It was a tough job to fill the survey in. It would be appreciated to make it slightly shorter ☺



Date

Footer

15



Project Consortium





Date

Footer

16




Contact Information

- [Marta Patiño-Martínez](#)
 - Project coordinator.
 - Univ. [Politécnica](#) de Madrid.
 - mpatino@fi.upm.es
- [Ricardo Jiménez-Peris](#)
 - Technical Coordinator.
 - Univ. [Politécnica](#) de Madrid.
 - rjimenez@fi.upm.es
- <http://cumulonimbo.eu>




17

SocioS, presented by Konstantinos Tserpes




Konstantinos Tserpes
National Technical University of Athens



At a glance

Title:	Exploring Social Networks for building the future Internet of Services
EU FP7 project:	co-funded by European Union FP7 ICT for Internet of Services, Software and Visualisation
Duration:	30 months (01/09/2010-28/02/2013)
Overall budget:	€4,086 M (€2,74 M)
Project Coordinator:	Institute of Communications and Computer Systems (ICCS/NTUA)
Consortium:	3 organizations from 6 countries
Web site:	www.sociois.net
Relevant information:	http://cordis.europa.eu/ict-2010/



13/3/2012 Final SEQUOIA Conference and Workshop 3



Details



13/3/2012 Final SEQUOIA Conference and Workshop 2


Consortium Make Up



Industry
Academia
End users



13/3/2012 Final SEQUOIA Conference and Workshop 4



Background

Click to add text

SocioS 13/3/2012 Final SEQUOIA Conference and Workshop 5

Objectives



- Provide a service-oriented toolset that allows the building of business value applications leveraging the Social Networking Sites (SNS) "assets":
 - User Created Content
 - Social Dynamics (Social Graph)
- Aggregate, federate and expose data and functionality from the underlying SNSs as a service
- Attract developers by providing access to usable methods and tools to handle the toolset mentioned above
- Analyze the business models that the implementation of SocloS will create or improve and build mechanisms to support them
- Analyze and tackle emerging legal and ethical issues
- Provide proof of concept solutions for the domain of journalism and TV commercial production

SocioS


13/3/2012

Final SEQUOIA Conference and Workshop

6

SNS Interoperability

- SocloS Ontology
 - Identify conceptually common entities and functionalities
- SocloS API
 - Build an API to invoke aggregated SNS API methods



SocioS


13/3/2012

Final SEQUOIA Conference and Workshop

7

Service Engineering & Analytics

- Provide and host functionality not provided by the SocloS API
- Combine the extra functionality with the SocloS API methods
- Expose all functionality as a service
- Extra functionality services = Auxiliary Services
- External services
- Create applications by managing workflows




SocioS

13/3/2012

Final SEQUOIA Conference and Workshop

8

Complete Picture



SocioS

13/3/2012

Final SEQUOIA Conference and Workshop

9

Components




- SocloS API
- SocloS Core Services
- SocloS Auxiliary Services
 - Content Ranking
 - Recommendation services
 - Crowdsourcing games
 - (reverse) Auction systems
 - Event detection
 - Sentiment analysis
 - ...
- SocloS Applications

SocioS

13/3/2012

Final SEQUOIA Conference and Workshop

10



Applications

Click to add text

SocioS 13/3/2012 Final SEQUOIA Conference and Workshop 11

Scenario A "Journalism": Researching a multimedia online article with the help of SocIoS



Traditional Journalistic research

Additional research with SocIoS

SocioS 13/3/2012 Final SEQUOIA Conference and Workshop 13

Scenario C: Researching locations with the help of SocIoS




Traditional Location Scouting

The "SocioS Way"

SocioS 13/3/2012 Final SEQUOIA Conference and Workshop 15

The 3 pilot scenarios in the overall concept



PILOT 1

PILOT 2

S-A Journalism Application

S-B Casting Application

S-C Location Scouting Application

SocioS Service 1

SocioS Service 2

SocioS Service 3

SocioS Auxiliary Service

SocioS External Service

SocioS Middleware

SocioS API

SocioS API

SocioS API

YouTube


Twitter

Flickr

Dailymotion

SocioS 13/3/2012 Final SEQUOIA Conference and Workshop 12


Scenario B TV Commercials Production: Researching casting with the help of SocIoS



Traditional Casting

The "SocioS Way"

SocioS 13/3/2012 Final SEQUOIA Conference and Workshop 14



SEQUOIA Impact assessment methodology

Click to add text

SocioS 13/3/2012 Final SEQUOIA Conference and Workshop 16

Experience **Personal Opinions**

Negative <ul style="list-style-type: none">• Questionnaire completion was tedious<ul style="list-style-type: none">– Probably the questionnaire should be split and address different project actors• Motivation for participation was unclear<ul style="list-style-type: none">– Solidarity was probably the strongest incentive• Some questions can only be answered when project is close to ending<ul style="list-style-type: none">– Asynch exploitation plan development within projects• Results excited consortium<ul style="list-style-type: none">– Raised expectations	Positive <ul style="list-style-type: none">• Gradual, guided process<ul style="list-style-type: none">– SEQUOIA people took input seriously, filtered results each time they approached us• “Transparent” process, tailored to the audience characteristics<ul style="list-style-type: none">– The metrics and objective remained “hidden” -at least to me– Honest answers through and thorough• Bridged the “language” gap<ul style="list-style-type: none">– SEQUOIA people adapted to our language rather than vice versa• Results excited consortium<ul style="list-style-type: none">– Encouragement
---	--

SocioS 13/3/2012 Final SEQUOIA Conference and Workshop 17

Conclusions

- Overall a positive experience
 - Identified and in cases evaluated SocloS strong points

SocioS 13/3/2012 Final SEQUOIA Conference and Workshop 18

Thank you!

- More Questions? Feel free to visit our web site or contact us directly:
 - SocloS web site:
 - www.sociosproject.eu
 - Technical Manager
 - Konstantinos Tserpes (tserpes@mail.ntua.gr)
 - Dissemination Manager
 - Ilias Spais (ispais@atc.gr)

SocioS 13/3/2012 Final SEQUOIA Conference and Workshop 19

Round Table

The conference closed with a round table and an open question & answer session.

Questions included:

Q: Are there similar patterns and recommendations for Call 5 projects?

A: Yes you must have a clear view of the context outside of the immediate consortium to broaden socio-economic impact.

Q: Is there a way to assess beyond scientific impact?

A: Projects would need to carry out ex-post assessments 5-10 years after the funded lifetime of the project.

Q: Are IP issues a challenge?

A: Projects often prefer non-copyright licences and do not even wish to have LGPL. They prefer APACHE-like code because it makes commercial exploitation easier.

Q: Do projects have the right instruments for exploitation?

A: Description of potential impacts needs to be better explained in proposals. The difference between project types, ie IP, NOE, Strep etc needs to be taken into account in setting achievable impacts.

Projects are insufficiently conceptualised to make the transition from idea to exploitation. Each of the actors in the value chain needs to be brought together in an ecosystem. Research projects require very different processes to classic value chains in companies.

The conference was closed by Dr Dini.

LIST OF PARTICIPANTS

Registrations for the conference were online via the SEQUOIA website and invitations were sent to all of the Cal 1 and 5 project teams, the participants in the project's LinkedIn page, the mailing list for the NESSI platform and other potentially interested parties.

The following is the final list of participants:

Surname	Name	Organisation
Ahtes	James	Atos
Aznar	Mario	RTDI
Bellini	Francesco	Eurokleis s.r.l.
Bohlin	Erik	Chalmers University of Technology
Cascella	Roberto G.	INRIA
Cecchi	Maurizio	Telecom Italia
De Panfilis	Stefano	Engineering Ingegneria Informatica S.p.A.
Degadt	Wouter	IBBT-SMIT, VUB
Di Martino	Beniamino	Second University of Naples
Dini	Paolo	LSE
Domingue	John	The Open University
English	Anne	LSE
Field	Daniel	Atos
Jimenez-Peris	Ricardo	Universidad Politecnica de Madrid
Maggio	Martino	Engineering Ingegneria Informatica S.p.A.
Marasso	Lanfranco	Engineering Ingegneria Informatica S.p.A.
Metzger	Andreas	Paluno, U Duisburg-Essen
Missaglia	Marcello	missagliaeassociati srl
Molas-Gallart	Jordi	INGENIO (CSIC-UPV)
Naqvi	Syed	CETIC
Newton-Clare	Louise	LSE
O'Flaherty	John	MAC
Passani	Antonella	t6 ecosystems
Petitcolas	Fabien	Microsoft Europe
Pohl	Klaus	Paluno, U Duisburg-Essen
Tserpes	Konstantinos	ICCS/NTUA
Van Der Graaf	Shenja	LSE
Velasco	Carlos A.	Fraunhofer FIT
David	Callahan	European Commission
Zwegers	Arian	European Commission

SOME PHOTOS OF THE CONFERENCE:

